EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	("20020120741" "20050278760").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 09:51
L2	6	("6401174" "20020083377" "5090014" "20030159088" "6718489" "20040139374"). PN.	US-PGPUB; USPAT	OR	OFF	2011/02/02 09:53
L7	599	707/770.ccls.	US-PGPUB; USPAT	OR	OFF	2011/02/02 09:57
L8	2097	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pd<"20040313" or @ptpd<"20040313" or @pt3d<"20040313" or @ptad<"20040313") and (event\$1 near4 notification\$1 near4 messag\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 10:08
L9	1988	L8 and ("QoS" or (quality near4 service) or reservation or user or group\$1 or class\$2 or (resource near4 manag\$5) or peer\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 10:08
L10	48	L9 and ((cluster\$3 or grid) near4 comput\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 10:08
L11	6	L10 and ((aggregat\$3 or compil\$3 or accumulat\$3) near4 (messag\$3 or notification\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 10:08
L12	0	L11 and (messag\$3 near4 log \$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 10:08
L13	6	10 and (messag\$3 near4 log \$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 10:08
L14	168	9 and (messag\$3 near4 log \$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 10:10

L15	162	14 not (11 or 13)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 10:10
L16	17	15 and (messag\$3 near4 layer\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 10:10
L17	3	15 and (retriev\$3 near4 messages near4 log\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 10:12
L18	58	L9 and ((creat\$3 or generat \$3) near4 object near4 messag\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 10:20
L19	9	18 and ((aggregat\$3 or compil\$3 or accumulat\$3) near4 (messag\$3 or notification\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 10:22
L20	1	10/530580.app.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 10:34
L21	4	18 and (node near4 layer\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:10
L22	48	8 and ((generat\$3 or creat \$3) near4 (messag\$3 or notification\$1) near4 log\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:27
L23	0	22 and ((layer or hierarch\$4) near4 node\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:28
L24	0	8 and ((comput\$3 near4 environment near4 logs) with (layer\$1 or location\$1 or hierarch\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:34
L25	0	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pt9d<"20040313" or @ptpd<"20040313" or @pt3d<"20040313" or @ptad<"20040313" or @ptad<"20040313") and ((comput\$3 near4 environment near4 logs) with (layer\$1 or location\$1 or hierarch\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:34

L26	28	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pt20040313" or @ptpd<"20040313" or @ptpd<"20040313" or @pt3d<"20040313" or @ptad<"20040313" or @ptad<"120040313" or @ptad<"120040313" or motion and ((environment near4 logs) with (layer\$1 or location\$1 or hierarch\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:34
L27	13407	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pd<"20040313" or @ptpd<"20040313" or @pt3d<"20040313" or @ptad<"20040313") and ((cluster\$3 or grid) near4 comput\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:37
L28	713	27 and (event\$1 near4 (notification\$1 or messag\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:37
L29	0	28 and ((messag\$3 near4 logs) with (layer\$1 or location \$1 or hierarch\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:38
L30	7	28 and (logs with (layer\$1 or location\$1 or hierarch\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:38
L31	33900	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pt <pre>@pt</pre> "20040313" or @pt3d<"20040313" or @pt3d<"20040313" or @ptad<"20040313") and (event\$1 near4 (notification \$1 or messag\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:47
L32	2798	31 and (event near4 log\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:48
L33	30	31 and (event near4 log\$1 near4 extract\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:48
L34	3	"20020010804"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:55

L35	0	33 and (node near4 layer\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:57
L36	2316	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pt<="20040313" or @ptpd<"20040313" or @pt3d<"20040313" or @ptad<"20040313") and (node near4 layers)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:57
L37	0	36 and (event near4 (handl \$3 or notification\$1 or messag\$3) near4 (log\$1 or record\$1 or journal\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:58
L38	28	36 and (event near4 (log\$1 or record\$1 or journal\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 11:59
L39	4	8 and (user\$1 near4 submit \$4 near4 job\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 12:39
L40	2	"20050278378"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 12:57
<u>L</u> 41	101821	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @ptpd<"20040313" or @ptpd<"20040313" or @pt3d<"20040313" or @ptad<"20040313" or @ptad<"20040313" or @ptad<"20040313") and (object near4 ("QoS" or (quality near4 service) or reservation or user or group \$1 or class\$2 or (resource near4 manag\$5) or peer\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:08
L42	1497	41 and ((cluster\$3 or grid) near4 comput\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:08
L43	23	42 and (object near4 ("QoS" and (quality near4 service) and reservation and user and group\$1 and class\$2 and (resource near4 manag\$5) or peer\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:09

L44	70161	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pd<"20040313" or @ptpd<"20040313" or @pt3d<"20040313" or @ptad<"20040313") and (distributed near4 comput\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:19
L45	6132	44 and (event\$1 near4 (notification\$1 or messag\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:19
L46	75	45 and (object near4 ("QoS" and (quality near4 service) and reservation and user and group\$1 and class\$2 and (resource near4 (manag\$5 or schedul\$3)) or peer\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:20
L47	4	46 and (event near4 log\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:21
L48	4	47 and (object near4 ("QoS" and (quality near4 service) and reservation and user and group\$1 and class\$2 and (resource near4 (manag\$5 or schedul\$3)) or peer\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:22
L49	125	45 and (object near4 (resource near4 (manag\$5 or schedul\$3)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:22
L50	13	46 and (object near4 (resource near4 (manag\$5 or schedul\$3)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:23
L51	4	("20020120741" "20050278760").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L52	6	("6401174" "20020083377" "5090014" "20030159088" "6718489" "20040139374"). PN.	US-PGPUB; USPAT	OR	OFF	2011/02/02 14:42
L53	599	707/770.ccls.	US-PGPUB; USPAT	OR	OFF	2011/02/02 14:42

L54	2097	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pd<"20040313" or @ptpd<"20040313" or @pt3d<"20040313" or @ptad<"20040313" or @ptad<"120040313" or @ptad<"120040313" or @ptad<"120040313" or	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L55	1988	L8 and ("QoS" or (quality near4 service) or reservation or user or group\$1 or class\$2 or (resource near4 manag\$5) or peer\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L56	48	L9 and ((cluster\$3 or grid) near4 comput\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L57	6	L10 and ((aggregat\$3 or compil\$3 or accumulat\$3) near4 (messag\$3 or notification\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L58	0	L11 and (messag\$3 near4 log \$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L59	6	10 and (messag\$3 near4 log \$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L60	168	9 and (messag\$3 near4 log \$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L61	162	14 not (11 or 13)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L62	17	15 and (messag\$3 near4 layer\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L63	3	15 and (retriev\$3 near4 messages near4 log\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L64	58	L9 and ((creat\$3 or generat \$3) near4 object near4 messag\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42

L65	9	18 and ((aggregat\$3 or compil\$3 or accumulat\$3) near4 (messag\$3 or notification\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L66	1	10/530580.app.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L67	4	18 and (node near4 layer\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L68	48	8 and ((generat\$3 or creat \$3) near4 (messag\$3 or notification\$1) near4 log\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L69	0	22 and ((layer or hierarch\$4) near4 node\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L70	0	8 and ((comput\$3 near4 environment near4 logs) with (layer\$1 or location\$1 or hierarch\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L71	0	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pd<"20040313" or @ptpd<"20040313" or @pt3d<"20040313" or @ptad<"20040313" or @ptad<"20040313") and ((comput\$3 near4 environment near4 logs) with (layer\$1 or location\$1 or hierarch\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L72	28	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pt9d<"20040313" or @pt9d<"20040313" or @pt3d<"20040313" or @ptad<"20040313" or @ptad<"20040313") and ((environment near4 logs) with (layer\$1 or location\$1 or hierarch\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42

L73	13407	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pd<"20040313" or @ptpd<"20040313" or @pt3d<"20040313" or @ptad<"20040313") and ((cluster\$3 or grid) near4 comput\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L74	713	27 and (event\$1 near4 (notification\$1 or messag\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L75	0	28 and ((messag\$3 near4 logs) with (layer\$1 or location \$1 or hierarch\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L76	7	28 and (logs with (layer\$1 or location\$1 or hierarch\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L77	33900	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pt @pt "20040313" or @ptpd<"20040313" or @pt3d<"20040313" or @ptad<"20040313") and (event\$1 near4 (notification \$1 or messag\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L78	2798	31 and (event near4 log\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L79	30	31 and (event near4 log\$1 near4 extract\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L80	3	"20020010804"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L81	0	33 and (node near4 layer\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42

L82	2316	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pt<="20040313" or @ptpd<"20040313" or @pt3d<"20040313" or @ptad<"20040313") and (node near4 layers)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L83	0	36 and (event near4 (handl \$3 or notification\$1 or messag\$3) near4 (log\$1 or record\$1 or journal\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L84	28	36 and (event near4 (log\$1 or record\$1 or journal\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L85	4	8 and (user\$1 near4 submit \$4 near4 job\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L86	2	"20050278378"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L87	101821	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pt9d<"20040313" or @pt9d<"20040313" or @pt3d<"20040313" or @ptad<"20040313" or @ptad<"20040313" or (object near4 ("QoS" or (quality near4 service) or reservation or user or group \$1 or class\$2 or (resource near4 manag\$5) or peer\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L88	1497	41 and ((cluster\$3 or grid) near4 comput\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L89	23	42 and (object near4 ("QoS" and (quality near4 service) and reservation and user and group\$1 and class\$2 and (resource near4 manag\$5) or peer\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42

L90	70161	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pd<"20040313" or @ptpd<"20040313" or @pt3d<"20040313" or @ptad<"20040313") and (distributed near4 comput\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L91	6132	44 and (event\$1 near4 (notification\$1 or messag\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L92	75	45 and (object near4 ("QoS" and (quality near4 service) and reservation and user and group\$1 and class\$2 and (resource near4 (manag\$5 or schedul\$3)) or peer\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L93	4	46 and (event near4 log\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L94	4	47 and (object near4 ("QoS" and (quality near4 service) and reservation and user and group\$1 and class\$2 and (resource near4 (manag\$5 or schedul\$3)) or peer\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L95	125	45 and (object near4 (resource near4 (manag\$5 or schedul\$3)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
L96	13	46 and (object near4 (resource near4 (manag\$5 or schedul\$3)))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 14:42
S1	2097	(@ad<"20040313" or @rlad<"20040313" or @prad<"20040313" or @pt1d<"20040313" or @pd<"20040313" or @ptpd<"20040313" or @pt3d<"20040313" or @ptad<"20040313") and (event\$1 near4 notification\$1 near4 messag\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 09:41
S2	1988	S1 and ("QoS" or (quality near4 service) or reservation or user or group\$1 or class\$2 or (resource near4 manag\$5) or peer\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 09:43

S 3	48	S2 and ((cluster\$3 or grid) near4 comput\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 09:43
S4	6	S3 and ((aggregat\$3 or compil\$3 or accumulat\$3) near4 (messag\$3 or notification\$1))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2011/02/02 09:44

EAST Search History (Interference)

< This search history is empty>

2/2/2011 3:04:08 PM

C:\ Documents and Settings\ jcasanova\ My Documents\ EAST\ Workspaces\ Real_Apps\ 10_530580 \ 10530580.wsp